



RAMP TEXTURE PATTERN
(TRUNCATED DOMES)
DETAIL




NOTE TO DESIGNER:
PLANS SHALL PROVIDE
ELEVATION (EL) AT EACH
SPECIFIED LOCATION.

PERPENDICULAR SIDEWALK RAMP DETAIL

5' FLARE SLOPES AND 5' LANDINGS ARE REQUIRED UNLESS
OTHERWISE APPROVED BY THE ENGINEERING DEPARTMENT.



CURB RAMP DETAIL A-A



SIDEWALK DETAIL B-B

NOTES

1. SEE DETAIL S960 FOR STANDARD DETAILS AND NOTES.
2. THIS DETAIL IS TO BE USED FOR EXISTING CONDITIONS ONLY.

S:\Engineering\Roadway Standards\2010 Standards for Publish\Drawings\DWGs\ S100-S960.dwg

REVISION	DATE	BY	DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT 150 BEAVERCREEK ROAD OREGON CITY, OR 97045		APPROVAL DATE: 1/1/10	SCALE: N.T.S.	STANDARD DRAWING S940
					SINGLE PERPENDICULAR CURB RAMP ON STANDARD SIDEWALK - ALTERNATE DESIGN		